INDUCED ABORTION DATA SUMMARY IDAHO

Induced Abortions Occurring in Idaho and Induced Abortions to Idaho Residents

1996-2006

Bureau of Vital Records and Health Statistics
Division of Health
Idaho Department of Health and Welfare

September 2007

TABLE OF CONTENTS

<u>Pa</u>	age
Purpose	1
Induced Abortions Occurring in Idaho	
Definition, limitations, and summary District and county of occurrence, 1996-2006 (Table 1) Selected demographic characteristics, 1996-2006 (Table 2A) Selected demographic characteristics (percent), 1996-2006 (Table 2B) Idaho residence status, 1996-2006 (Graph 1) Marital status, 1996-2006 (Graph 2) Age, 1996-2006 (Graph 3) Number of previous abortions, 1996-2006 (Graph 4) Procedure characteristics, 1996-2006 (Table 3A) Procedure characteristics (percent), 1996-2006 (Table 3B) Termination procedure by length of gestation, three-year total, 2004-2006 (Table 4) Length of gestation, three-year total, 2004-2006 (Graph 5) Age by length of gestation, three-year total, 2004-2006 (Table 5) Age by length of gestation, three-year total, 2004-2006 (Table 6) Age by marital status, three-year total, 2004-2006 (Table 6) Age by marital status, three-year total, 2004-2006 (Graph 7) Age by number of previous induced abortions, three-year total, 2004-2006 (Table 7) Age by number of previous induced abortions, three-year total, 2004-2006 (Graph 8) Patient educational materials provided, 1996-2006 (Table 8)	4 5 7 7 8 8 9 11 11 12 13 14 14
Induced Abortions to Idaho Residents	
Definition, limitations, and summary	18 19 20 20 21 22
<u>Appendix</u>	
Counties comprising Idaho public health districts	23

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 1996 - 2006.

INDUCED ABORTIONS OCCURRING IN IDAHO 1996-2006

Definition

Induced abortions occurring in Idaho include all reported abortion procedures occurring in Idaho, regardless of the patient's state of residence.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1996 to 2006, the number of induced abortions occurring in Idaho increased 22.2 percent from 1,022 in 1996 to 1,249 in 2006. In 2006, 97.5 percent of abortions occurred in Ada County and 2.5 percent occurred in Bannock County.

The number of abortions occurring to Idaho residents in Idaho increased 26.3 percent from 962 in 1996 to 1,215 in 2006. At the same time, the number of abortions occurring to out-of-state residents in Idaho decreased 43.3 percent. Of the 1,022 abortions occurring in Idaho in 1996, 60 (5.9 percent) were to out-of-state residents compared with 34 out of 1,249 (2.7 percent) in 2006.

INDUCED ABORTIONS OCCURRING IN IDAHO 2006

The number of induced abortions occurring in Idaho increased 13.6 percent in 2006, from 1,099 in 2005 to 1,249 in 2006. The number of abortions occurring in Ada County increased 19.6 percent in 2006, from 1,018 in 2005 to 1,218 in 2006.

Age:

From 2005 to 2006, the number of abortions increased in each age group, except for the 45 and older age group, which had one fewer abortion than in 2005. The number of abortions in the 15-17 year old age group increased 54.8 percent (40 abortions). The number of abortions to women in the age group 20 to 24 accounted for 31.9 percent of all abortions in 2006.

Residency Status:

The number of abortions occurring in Idaho to Idaho residents increased 14.1 percent in 2006, from 1,065 in 2005 to 1,215 in 2006. The number of abortions occurring to non-Idaho residents remained the same in 2006 at 34.

Marital Status:

The number of abortions occurring to married women increased 16.9 percent in 2006, from 219 in 2005 to 256 in 2006. The number of abortions occurring to unmarried women increased 13.1 percent in 2006, from 878 in 2005 to 993 in 2006.

Race:

The number of abortions occurring to whites increased 11.3 percent in 2006, from 1,018 in 2005 to 1,133 in 2006. The number of abortions occurring to American Indians increased 31.6 percent in 2006, from 19 in 2005 to 25 in 2006.

Ethnicity:

The number of abortions occurring to Hispanics increased 2.3 percent in 2006, from 133 in 2005 to 136 in 2006. The number of abortions occurring to non-Hispanics increased 15.1 percent in 2006, from 959 in 2005 to 1,104 in 2006.

Table 1 INDUCED ABORTIONS OCCURRING IN IDAHO District and County of Occurrence 1996-2006

PLACE OF OCCURRENCE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
TOTAL IN IDAHO	1,022	878	888	867	801	738	829	911	963	1,099	1,249
District 1 District 2 District 3 District 4 District 5 District 6 District 7	1 - 943 31 47	- - 787 35 56	1 822 24 40 1	1 - 798 24 43 1	- - 699 30 72	- - 652 32 53 1	756 10 63	838 24 49	873 25 65	- 1,018 18 63	- 1,218 - 31
Ada Adams Bannock	943 - 47	787 - 56	822 - 40	798 - 43	699 - 72	652 - 53	756 - 63	838 - 49	873 - 65	1,018 - 63	1,218 - 31
Bear Lake Benewah Bingham Blaine	- - - 30	- - - 34	- - - 24	- - - 24	- - - 30	- - - 32	- - - 10	- - - 24	- - - 25	- - - 18	-
Boise Bonner Bonneville Boundary	- 1 -		- 1 -	-		-	-			-	-
Butte Camas Canyon Caribou	-	-	- - 1 -	-	-	-	-	-	-	-	- - -
Cassia Clark Clearwater Custer Elmore				-		-	-	-	-	-	-
Franklin Fremont Gem Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho Jefferson Jerome Kootenai	-	-	-	- - - 1	-	-	-		-	-	-
Latah Lemhi Lewis Lincoln		-	-	1 - -	-	-	-			-	-
Madison Minidoka Nez Perce Oneida	-	-	-	-	-	1 - - -	-	-	-	- - -	-
Owyhee Payette Power Shoshone	-	-	-	-	-	- - -	-		-	-	-
Teton Twin Falls Valley Washington	- 1 - -	- 1 - -	-	-	-	- - -	- - -	-	-	-	- - -

Dash (-) represents zero.

Table 2A INDUCED ABORTIONS OCCURRING IN IDAHO Selected Demographic Characteristics 1996-2006

DEMOGRAPHIC CHARACTERISTICS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
TOTAL IN IDAHO	1,022	878	888	867	801	738	829	911	963	1,099	1,249
Age: 10-14 15-19 15-17 18-19 20-24	15 265 99 166 284	10 226 91 135 277	8 221 69 152 272	3 229 72 157 246	7 159 53 106 270	4 168 54 114 220	4 176 66 110 259	3 178 47 131 304	2 189 68 121 302	6 208 73 135 330	8 257 113 144 398
25-29 30-34 35-39 40-44 45+ Not stated	194 135 95 33 1	157 90 92 24 2	159 114 87 26 - 1	164 117 73 32 3	160 92 78 33 2	145 95 71 29 5	171 110 73 35 1	171 137 74 43 1	191 151 95 32 1	267 138 107 41 2	268 162 112 42 1
Idaho residence status: Resident Non-resident	962 60	840 38	862 26	839 28	779 22	712 26	800 29	871 40	928 35	1,065 34	1,215 34
Marital status: Married Not married Not stated	212 808 2	167 711 -	174 712 2	218 649 -	168 632 1	168 569 1	178 650 1	238 671 2	184 778 1	219 878 2	256 993 -
Previous induced abortions: None 1 2 3+ Not stated	744 202 53 17 6	658 155 45 19	657 173 40 17 1	672 137 34 24	637 117 33 13 1	597 96 29 14 2	627 149 39 12 2	691 159 38 16 7	725 182 39 13 4	856 177 46 15	976 199 48 19 7
Race White Black American Indian Asian/Pacific Islander Other Race not stated	971 9 15 24 - 3	819 10 14 31 2 2	834 7 13 31 - 3	813 10 10 32 - 2	751 8 10 23 - 9	679 13 17 24 1 4	769 15 7 32 2 4	845 11 10 32 - 13	894 17 11 32 3 6	1,018 16 19 35 1	1,133 14 25 38 3 36
Ethnicity* Hispanic Non-Hispanic Ethnicity not stated	96 918 8	91 783 4	102 783 3	82 785 -	87 709 5	92 641 5	90 736 3	110 785 16	115 838 10	133 959 7	136 1,104 9

^{*} Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals. Dash (-) represents zero.

Table 2B INDUCED ABORTIONS OCCURRING IN IDAHO Selected Demographic Characteristics (Percent) 1996-2006

DEMOGRAPHIC CHARACTERISTICS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
TOTAL IN IDAHO	1,022	878	888	867	801	738	829	911	963	1,099	1,249
Age: 10-14 15-19 15-17 18-19 20-24 25-29 30-34 35-39 40-44 45+ Not stated	1.5% 25.9 9.7 16.2 27.8 19.0 13.2 9.3 3.2 0.1 NA	1.1% 25.7 10.4 15.4 31.5 17.9 10.3 10.5 2.7 0.2 NA	0.9% 24.9 7.8 17.1 30.7 17.9 12.9 9.8 2.9	0.3% 26.4 8.3 18.1 28.4 18.9 13.5 8.4 3.7 0.3 NA	0.9% 19.9 6.6 13.2 33.7 20.0 11.5 9.7 4.1 0.2 NA	0.5% 22.8 7.3 15.5 29.9 19.7 12.9 9.6 3.9 0.7 NA	0.5% 21.2 8.0 13.3 31.2 20.6 13.3 8.8 4.2 0.1 NA	0.3% 19.5 5.2 14.4 33.4 18.8 15.0 8.1 4.7 0.1 NA	0.2% 19.6 7.1 12.6 31.4 19.8 15.7 9.9 3.3 0.1 NA	0.5% 18.9 6.6 12.3 30.0 24.3 12.6 9.7 3.7 0.2 NA	0.6% 20.6 9.1 11.5 31.9 21.5 13.0 9.0 3.4 0.1 NA
Idaho residence status: Resident Non-resident	94.1% 5.9	95.7% 4.3	97.1% 2.9	96.8% 3.2	97.3% 2.7	96.5% 3.5	96.5% 3.5	95.6% 4.4	96.4% 3.6	96.9% 3.1	97.3% 2.7
Marital status: Married Not married Not stated	20.8% 79.2 NA	19.0% 81.0 NA	19.6% 80.4 NA	25.1% 74.9 NA	21.0% 79.0 NA	22.8% 77.2 NA	21.5% 78.5 NA	26.2% 73.8 NA	19.1% 80.9 NA	20.0% 80.0 NA	20.5% 79.5 NA
Previous induced abortions: None 1 2 3+ Not stated	73.2% 19.9 5.2 1.7 NA	75.0% 17.7 5.1 2.2 NA	74.1% 19.5 4.5 1.9 NA	77.5% 15.8 3.9 2.8 NA	79.6% 14.6 4.1 1.6 NA	81.1% 13.0 3.9 1.9 NA	75.8% 18.0 4.7 1.5 NA	76.4% 17.6 4.2 1.8 NA	75.6% 19.0 4.1 1.4 NA	78.2% 16.2 4.2 1.4 NA	78.6% 16.0 3.9 1.5 NA
Race White Black American Indian Asian/Pacific Islander Other Race not stated	95.3% 0.9 1.5 2.4 - NA	93.5% 1.1 1.6 3.5 0.2 NA	94.2% 0.8 1.5 3.5	94.0% 1.2 1.2 3.7 - NA	94.8% 1.0 1.3 2.9	92.5% 1.8 2.3 3.3 0.1 NA	93.2% 1.8 0.8 3.9 0.2 NA	94.1% 1.2 1.1 3.6 - NA	93.4% 1.8 1.1 3.3 0.3 NA	93.5% 1.5 1.7 3.2 0.1 NA	93.4% 1.2 2.1 3.1 0.2 NA
Ethnicity* Hispanic Non-Hispanic Ethnicity not stated	9.5 90.5 NA	10.4 89.6 NA	11.5 88.5 NA	9.5 90.5 NA	10.9 89.1 NA	12.6 87.4 NA	10.9 89.1 NA	12.3 87.7 NA	12.1 87.9 NA	12.2 87.8 NA	11.0 89.0 NA


^{*} Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals. Dash (-) represents zero or a percent that rounds to less than 0.1%.

Percent distributions are based on records with known data.


Percents may not sum to 100 due to rounding.

NA - not applicable.

Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
1996-2006




Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
1996-2006




Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.

Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
1996-2006



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
1996-2006



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Table 3A INDUCED ABORTIONS OCCURRING IN IDAHO Procedure Characteristics 1996-2006

PROCEDURE CHARACTERISTICS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
TOTAL IN IDAHO	1,022	878	888	867	801	738	829	911	963	1,099	1,249
Weeks of gestation:	523	466	446	488	476	488	501	540	585	645	804
9-10	312	251	297	236	217	153	211	236	238	303	258
11-12	135	121	104	106	74	74	87	103	111	118	135
13-15	35	26	25	20	14	12	18	13	18	15	37
16-20	10	9	10	8	12	6	8	12	6	13	8
21-24	4	2	5	7	4	1	2	3	5	4	3
25+	1	2	-	-	1	2	1	1	-	1	2
Not stated	2	1	1	2	3	2	1	3	-	-	2
Termination procedure: ¹											
Suction curettage	1,002	855	872	853	784	724	823	895	952	967	1,035
Medical (nonsurgical) ²	NA	NA	NA	3	8	7	2	10	3	117	198
Dilation and evacuation (D&E)	3	4	1	1	3	1	1	3	1	3	7
Intra-uterine instillation (saline / prostaglandin)	4	4	2	4	4	2	2	1	4	4	3
Sharp curettage (D&C)	2	-	4	1	1	3	-	-	2	4	3
Hysterotomy / Hysterectomy	1	1	-	1	1	-	1	-	-	-	-
Other	10	14	9	4	-	-	-	1	1	4	3
Not stated	-	-	-	-	-	1	-	1	-	-	-

^{1.} Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Dash (-) represents zero.

NA - not applicable

^{2.} The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Table 3B INDUCED ABORTIONS OCCURRING IN IDAHO Procedure Characteristics (Percent) 1996-2006

PROCEDURE CHARACTERISTICS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
TOTAL IN IDAHO	1,022	878	888	867	801	738	829	911	963	1,099	1,249
Weeks of gestation: <9 9-10 11-12 13-15 16-20 21-24 25+	51.3% 30.6 13.2 3.4 1.0 0.4 0.1	53.1% 28.6 13.8 3.0 1.0 0.2	50.3% 33.5 11.7 2.8 1.1 0.6	56.4% 27.3 12.3 2.3 0.9 0.8	59.6% 27.2 9.3 1.8 1.5 0.5	66.3% 20.8 10.1 1.6 0.8 0.1 0.3	60.5% 25.5 10.5 2.2 1.0 0.2 0.1	59.5% 26.0 11.3 1.4 1.3 0.3 0.1	60.7% 24.7 11.5 1.9 0.6 0.5	58.7% 27.6 10.7 1.4 1.2 0.4 0.1	64.5% 20.7 10.8 3.0 0.6 0.2 0.2
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure: 1 Suction curettage Medical (nonsurgical) 2 Dilation and evacuation (D&E) Intra-uterine instillation (saline / prostaglandin)	98.0% NA 0.3 0.4	97.4% NA 0.5 0.5	98.2% NA 0.1 0.2	98.4% 0.3 0.1 0.5	97.9% 1.0 0.4 0.5	98.2% 0.9 0.1 0.3	99.3% 0.2 0.1 0.2	98.4% 1.1 0.3 0.1	98.9% 0.3 0.1 0.4	88.0% 10.6 0.3	82.9% 15.9 0.6 0.2
Sharp curettage (D&C) Hysterotomy / Hysterectomy Other Not stated	0.2 0.1 1.0 NA	0.1 1.6 NA	0.5 - 1.0 NA	0.1 0.1 0.5 NA	0.1 0.1 - NA	0.4 - - NA	- 0.1 - NA	- 0.1 NA	0.2 - 0.1 NA	0.4 - 0.4 NA	0.2 - 0.2 NA

^{1.} Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable

^{2.} The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.


Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
Three-Year Total, 2004-2006

	TOTAL											
TERMINATION PROCEDURE*	IN IDAHO	<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated			
TOTAL IN IDAHO	3,311	2,034	799	364	70	27	12	3	2			
Suction curettage Medical (nonsurgical)	2,954 318	1,732 297	789 8	360 1	63 -	6 6	1 4	1 2	2			
Dilation and evacuation (D&E) Intra-uterine instillation (saline /	11	-	-	1	7	3	-	-	-			
prostaglandin) Sharp curettage (D&C)	11 9	- 5	2	2	-	7	4 -	-				
Hysterotomy / Hysterectomy Other	- 8	-	-	-	-	- 5	- 3	-	- -			
Not stated	-	-	1	1	-	-	-	1	-			

^{*} Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Length of Gestation
Three-Year Total, 2004-2006



Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100 percent due to rounding.

Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation
Three-Year Total, 2004-2006

	TOTAL	WEEKS OF GESTATION									
AGE	IN IDAHO	<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated		
TOTAL IN IDAHO	3,311	2,034	799	364	70	27	12	3	2		
10-14 15-19 15-17 18-19 20-24 25-29 30-34 35-39 40-44 45+ Not stated	16 654 254 400 1,030 726 451 314 115	8 353 142 211 609 469 315 199 77 3	4 190 73 117 264 161 82 73 25	4 84 30 54 134 79 31 24 8	23 9 14 13 12 12 6 4	3 3 8 1 6 7 1	1 1 2 3 4 2	- - - - 1 2	- - - 1 1		

Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation in Weeks
Three-Year Total, 2004-2006




Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2004-2006

	TOTAL									
AGE	IN IDAHO	Not Married	Married	Not Stated						
TOTAL IN IDAHO	3,311	2,649	659	3						
10-14	16	16	-	-						
15-19	654	626	28	-						
15-17	254	249	5	-						
18-19	400	377	23	-						
20-24	1,030	885	144	1						
25-29	726	537	188	1						
30-34	451	306	144	1						
35-39	314	203	111	-						
40-44	115	74	41	-						
45+	4	1	3	-						
Not stated	1	1	-	-						

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2004-2006





Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2004-2006

	TOTAL										
AGE	IN IDAHO	None	1	2	3+	Not Stated					
TOTAL IN IDAHO	3,311	2,557	558	133	47	16					
10-14	16	16	-	-	-	-					
15-19	654	601	48	3	1	1					
15-17	254	246	7	1	-	-					
18-19	400	355	41	2	1	1					
20-24	1,030	844	141	32	10	3					
25-29	726	509	157	41	16	3					
30-34	451	305	106	30	5	5					
35-39	314	206	78	15	13	2					
40-44	115	73	26	12	2	2					
45+	4	3	1	-	-	-					
Not stated	1	-	1	-	-	-					

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2004-2006



14

Table 8 INDUCED ABORTIONS OCCURRING IN IDAHO Patient Educational Materials Provided 1996-2006

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1996	957	33	32	1,022
1997	840	2	36	878
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

INDUCED ABORTIONS TO IDAHO RESIDENTS 1996-2006

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Vital Records and Health Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2006, there were three out-of-state records allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1996 to 2006, the number of abortions to Idaho residents ranged from a low of 1,473 in 2001 to a high of 1,919 in 2006. In all but one year, 2001, the majority of abortions to Idaho residents occurred in Idaho. From 1996 to 2006, most abortions to Idaho residents which occurred out of state occurred in Washington. Of the 704 abortions to Idaho residents which occurred out of state in 2006, 528 (75.0 percent) occurred in Washington.

Overall, the number of abortions to Idaho residents increased by 113 (6.3 percent) from 1996 to 2006. At the same time, there was an increase in the population for females aged 15-44, which resulted in an overall decrease in the abortion rate. The abortion rate per 1,000 females aged 15-44 decreased 7.2 percent from 6.9 in 1996 to 6.4 per 1,000 females in 2006. Similarly, the abortion ratio per 1,000 live births declined 18.5 percent from 97.3 per 1,000 live births in 1996 to 79.3 in 2006.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2006

The number of induced abortions occurring to Idaho residents increased 5.0 percent in 2006, from 1,827 in 2005 to 1,919 in 2006. From 2005 to 2006, the number of abortions increased to residents in District 3 and 4, and decreased in the remaining districts.

In Idaho:

The number of induced abortions occurring to Idaho residents in Idaho increased 14.1 percent in 2006, from 1,065 in 2005 to 1,215 in 2006. The majority of this increase occurred to residents of Ada County. There were 76 (11.6 percent) more abortions to Ada County residents in Idaho in 2006 than in 2005.

From 2005 to 2006, the number of abortions increased in the 10-14, 15-17, 20-24, 25-29, and the 30-34 age group. It decreased in the 18-19, 35-39, 40-44, and the 45 and older category. The number of abortions in the 25-29 year old age group increased 9.2 percent (53 abortions).

Out-of-State:

The number of induced abortions occurring to Idaho residents out-of-state decreased 7.6 percent in 2006, from 762 in 2005 to 704 in 2006. The majority of this decrease occurred to residents of Kootenai County. There were 37 (11.8 percent) fewer abortions to Kootenai County residents out-of-state in 2006 than in 2005.

Table 9A
INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
1996-2006

RESIDENCE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
TOTAL IDAHO RESIDENT	1,806	1,623	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919
District 1 District 2 District 3 District 4 District 5 District 6 District 7	407 230 180 660 142 106 81	390 204 150 603 112 78 86	395 193 198 617 95 89 49	377 182 161 619 84 76 62	465 166 153 536 99 62 72	428 174 149 505 91 61 65	391 158 157 558 91 70 68	395 187 191 603 124 62 58	357 172 183 625 147 83 51	423 161 192 744 150 91 66	371 158 265 840 142 78 65
Ada Adams Bannock Bear Lake Benewah Bingham Blaine Boise Bonner Bonneville	615 2 73 1 19 17 60 5 77 49	558 - 42 2 11 17 53 3 63 52	579 2 63 1 16 12 40 7 61 27	571 3 53 1 14 10 33 7 66 35	505 1 45 1 19 10 41 2 82 40	471 3 40 2 13 11 42 4 82 38	526 2 46 1 13 11 35 4 68 45	571 3 40 2 11 10 51 1 57 38	586 1 63 1 13 12 61 - 55 33	703 2 58 - 12 21 54 3 62 40	775 5 57 3 8 10 41 8 59 38
Boundary Butte Camas Canyon Caribou Cassia Clark Clearwater Custer Elmore	9 140 1 8 - 16 5 23	12 1 1 125 2 8 - 9 3 25	13 3 - 162 2 6 - 10 4 24	11 - 135 5 4 - 10 6 32	18 - 129 3 6 1 9 4 20	7 - 127 1 7 - 8 4 17	7 1 - 131 1 - 1 10 4 22	10 2 - 160 3 6 - 7 4 21	9 1 150 1 7 - 7 3 23	14 1 161 1 9 1 8 3 25	8 - 1 214 - 9 - 2 1 31
Franklin Fremont Gem Gooding Idaho Jefferson Jerome Kootenai Latah Lemhi	6 3 13 10 14 4 13 268 109	5 3 10 5 19 6 7 280 89 10	4 7 2 12 2 7 276 84 10	7 5 7 8 7 3 6 263 85	6 6 8 10 4 6 315 76	4 2 4 2 13 5 7 308 73 10	2 11 7 9 3 8 281 83 6	3 2 8 7 12 2 9 295 100 10	3 6 7 5 2 13 260 73 6	5 9 5 4 14 313 79 6	3 3 15 10 6 5 14 277 66 11
Lewis Lincoln Madison Minidoka Nez Perce Oneida Owyhee Payette Power Shoshone	4 2 2 8 87 1 6 14 6 34	6 3 4 6 81 4 5 8 5 24	6 1 9 81 1 7 16 3 29	5 - 2 5 75 - 5 9 - 23	4 3 2 5 67 5 9 3	6 - 3 5 74 - 1 13 3 18	5 - 3 7 51 2 3 5 8 22	6 1 10 62 1 4 12 1 22	7 6 3 9 80 2 8 14	4 4 3 6 65 1 7 10 4 22	7 4 2 5 77 1 3 22 4
Teton Twin Falls Valley Washington	6 41 17 5	8 29 17 2	5 31 7 4	28 9 2	3 30 9 3	3 28 13 1	4 34 6 5	2 40 10 4	2 44 16 4	4 58 13 3	5 58 26 6

Table 9B INDUCED ABORTIONS TO IDAHO RESIDENTS Rate by District and County of Residence 1996-2006

RESIDENCE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
TOTAL IDAHO RESIDENT	6.9	6.1	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4
District 1 District 2 District 3 District 4 District 5 District 6 District 7	11.8 10.7 5.1 9.2 4.5 3.2 2.4	11.1 9.4 4.1 8.3 3.5 2.4 2.5	11.2 9.0 5.3 8.2 3.0 2.7 1.4	10.5 8.6 4.2 8.1 2.6 2.3 1.8	13.1 7.8 3.9 6.8 3.0 1.8 2.0	12.0 8.3 3.6 6.3 2.8 1.8	10.9 7.7 3.6 6.9 2.8 2.1 1.8	10.8 9.2 4.3 7.5 3.8 1.9 1.5	9.4 8.4 4.0 7.7 4.4 2.5 1.3	10.8 7.8 4.0 8.9 4.5 2.7 1.7	9.4 8.1 5.3 9.9 4.3 2.4 1.7
Ada Adams Bannock Bear Lake Benewah Bingham Blaine Boise Bonner Bonneville	9.7 2.7 4.3 0.9 10.5 2.0 14.6 5.0 11.1 2.9	8.6 2.5 1.8 6.1 2.0 12.9 2.9 9.0 3.1	8.7 2.8 3.7 0.9 8.9 1.4 9.8 6.8 8.6 1.6	8.4 4.3 3.1 0.9 7.9 1.2 8.1 6.7 9.3 2.1	7.3 1.8 2.5 0.8 11.1 1.2 10.3 1.6 11.9 2.3	6.6 5.4 2.3 1.7 8.0 1.3 10.2 3.1 11.9 2.2	7.3 3.6 2.7 0.9 8.2 1.3 8.4 3.0 9.6 2.5	8.0 5.3 2.4 1.7 7.0 1.1 12.3 0.7 7.9 2.1	8.1 1.7 3.7 0.9 8.3 1.3 14.8 - 7.5	9.4 3.3 3.3 7.6 2.3 13.4 2.2 8.3 2.1	10.2 8.8 3.4 2.8 5.0 1.1 10.5 5.7 7.9 2.0
Boundary Butte Camas Canyon Caribou Cassia Clark Clearwater Custer Elmore	4.6 1.7 - 5.7 0.7 1.9 - 9.2 5.6 4.2	6.1 1.7 6.5 4.9 1.5 1.9 5.2 3.5 4.3	6.7 5.3 - 6.2 1.5 1.4 - 5.9 5.0 4.1	5.6 - 5.0 3.8 1.0 - 6.0 7.5 5.4	9.8 - 4.6 2.1 1.4 5.1 6.1 5.4 3.1	3.9 - 4.2 0.7 1.7 - 5.8 5.4 2.7	3.8 2.0 4.1 0.7 5.3 7.6 5.6 3.5	5.4 4.2 4.8 2.2 1.5 5.5 5.8 3.4	4.7 2.1 4.3 0.7 1.7 - 5.6 4.3 3.9	7.3 2.2 4.4 0.8 2.2 5.6 6.6 4.5 4.4	4.2 - 4.3 5.6 - 2.3 - 1.7 1.5 5.8
Franklin Fremont Gem Gooding Idaho Jefferson Jerome Kootenai Latah Lemhi	3.1 1.4 4.9 4.1 5.1 1.1 3.8 12.7 12.5 7.9	2.5 1.3 3.7 2.0 6.9 1.6 2.0 12.9 10.1 6.6	2.0 2.5 0.8 4.4 0.5 2.0 12.6 9.7 6.8	3.4 2.2 2.5 3.3 2.6 0.8 1.7 11.7 9.9 7.7	2.7 2.1 3.0 3.9 1.0 1.6 13.9 8.5 9.0	1.7 0.9 1.4 0.8 5.1 1.3 1.9 13.4 8.2 7.7	0.9 3.7 2.7 3.6 0.7 2.2 12.1 9.4 4.5	1.3 0.9 2.7 2.7 4.9 0.5 2.5 12.3 11.5 7.5	1.2 0.9 1.9 2.7 2.0 0.5 3.5 10.4 8.5 4.4	2.0 2.3 2.8 2.0 2.0 0.9 3.7 12.0 8.9 4.4	1.2 1.4 4.7 4.1 2.5 1.1 3.7 10.5 8.0 8.2
Lewis Lincoln Madison Minidoka Nez Perce Oneida Owyhee Payette Power Shoshone Teton	5.7 2.8 0.3 2.0 11.3 1.5 3.1 3.5 3.4 12.5 5.6	8.6 4.1 0.5 1.5 10.5 6.0 2.5 2.0 2.8 8.9 7.3	8.8 0.1 2.3 10.7 1.5 3.5 3.9 1.7 10.9 4.4	7.5 - 0.2 1.3 10.0 - 2.5 2.2 - 8.9	6.2 4.0 0.2 1.2 8.8 2.5 2.2 2.0 12.5 2.3	9.9 - 0.3 1.3 9.9 - 0.5 3.2 2.0 7.7 2.1	8.2 - 0.3 1.8 6.9 2.6 1.5 1.2 5.3 9.8 2.7	9.8 1.2 - 2.7 8.4 1.3 1.9 2.8 0.7 10.3 1.3	11.7 6.8 0.3 2.4 10.8 2.6 4.0 3.3 - 9.4	6.8 4.3 0.3 1.7 8.7 1.3 3.5 2.3 2.5 10.2	12.0 4.3 0.2 1.4 10.9 1.3 1.5 5.0 2.5 8.8
Twin Falls Valley Washington	3.3 10.6 2.8	2.3 10.5 1.1	2.4 4.4 2.1	2.2 5.9 1.1	2.3 6.8 1.7	2.1 9.8 0.6	2.6 4.8 2.8	2.9 7.8 2.3	3.2 12.2 2.2	4.2 9.4 1.7	4.1 17.1 3.5

Rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Refer to Table 11 on page 21 for population source.

Dash (-) represents zero.

Table 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
1996-2006

2 2003	2004	2005	2006
3 1,620	1,618	1,827	1,919
0 871	928	1,065	1,215
6 25	690	762	704
	19	20	19
	49	45	59
-	87	104	96
	533	591	528
	2	2	2
	00 871	00 871 928	00 871 928 1,065
	93 749	03 749 690	03 749 690 762
	16 25	16 25 19	16 25 19 20
	50 57	60 57 49	16 25 49 45
	70 79	70 79 87	70 79 87 104
	46 586	46 586 533	16 586 533 591

Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
1996-2006




Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
1996-2006

AGE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
TOTAL IDAHO RESIDENT	1,806	1,623	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919
Age: 10-14 15-19 15-17 18-19 20-24 25-29 30-34 35-39 40-44 45+ Not stated Abortion rate per 1,000 females in age group:	21 465 168 297 504 347 252 163 52 2	16 406 166 240 480 325 184 161 47 4	13 384 139 245 524 324 201 144 40 4	7 394 125 269 471 289 205 138 50 7	12 346 129 217 502 312 179 147 51 2	10 362 128 234 453 258 192 129 55 9	9 326 131 195 485 286 187 139 57 3	12 336 105 231 553 303 221 133 58 3	6 323 127 196 530 327 223 141 63 3	9 356 127 229 579 412 219 177 68 5	12 380 159 221 632 427 228 173 60 2 5
Total ¹	6.9	6.1	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4
Age: 10-14 15-19 15-17 18-19 20-24 25-29 30-34 35-39 40-44 45+ Not stated Abortion ratio per 1,000	0.4 8.8 5.3 13.9 11.9 9.6 6.5 3.5 1.1 NA	0.3 7.5 5.2 10.9 10.9 8.7 4.9 3.5 1.0 0.1 NA	0.3 7.0 4.3 10.7 11.5 8.4 5.4 3.2 0.9 0.1 NA	0.1 7.2 4.0 11.6 10.0 7.2 5.5 3.1 1.1 0.2 NA	0.2 6.3 4.0 9.5 11.1 7.6 4.3 3.1 1.0	0.2 6.5 3.9 10.1 9.9 6.1 4.6 2.7 1.1 0.2 NA	0.2 6.1 4.2 9.0 9.4 6.9 4.3 3.1 1.1 0.1 NA	0.2 6.4 3.4 10.7 10.2 7.1 5.1 3.0 1.2 0.1 NA	0.1 6.1 4.1 9.0 9.5 7.4 5.1 3.2 1.3 0.1 NA	0.2 6.7 4.0 10.6 10.2 8.7 4.9 3.9 1.3 0.1 NA	0.2 7.0 4.8 10.3 12.7 8.0 5.0 3.7 1.2 NA
live births in age group: Total ²	97.3	87.6	84.5	78.6	76.5	71.2	71.2	74.3	71.8	79.2	79.3
Age: 10-14 15-19 15-17 18-19 20-24 25-29 30-34 35-39 40-44 45+ Not stated	807.7 186.9 201.7 179.5 88.7 65.7 74.7 115.4 190.5 95.2 NA	444.4 174.1 222.5 151.3 86.1 61.4 52.9 107.2 152.6 363.6 NA	464.3 156.7 177.3 147.1 86.1 58.1 59.0 97.8 128.2 285.7 NA	225.8 164.4 157.4 167.9 76.0 50.1 56.8 91.3 152.0 304.3 NA	750.0 147.9 192.8 129.9 79.2 53.8 46.9 90.6 144.9 117.6 NA	625.0 154.8 191.3 140.1 71.5 44.5 50.3 79.5 156.3 529.4 NA	562.5 156.9 225.1 130.3 72.2 47.2 46.0 84.3 159.7 115.4 NA	631.6 161.8 192.7 150.9 79.8 46.8 52.4 77.8 168.6 150.0 NA	428.6 156.9 241.9 127.9 73.7 48.5 51.5 79.3 165.4 96.8 NA	473.7 176.3 238.7 154.0 80.6 57.7 49.9 94.1 167.1 178.6 NA	666.7 176.9 266.3 142.5 84.1 55.7 50.3 89.4 172.9 100.0 NA

^{1.} Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 1996-1999 are based on population estimates from the U.S. Census Bureau, Internet release August 30, 2000. Rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2001-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003. Rates for 2003, 2004, 2005, and 2006 are based on July 1, 2003, July 1, 2004, July 1, 2005, and July 1, 2006 population estimates from the U.S. Census Bureau and National Center for Health Statistics, Internet release dates August 18, 2004, September 9, 2005, August 16, 2006, and August 16, 2007, respectively.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

^{2.} Total abortion ratio: Number of induced abortions per 1,000 live births.


Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Termination Procedure by Length of Gestation
Three-Year Total, 2004-2006

	TOTAL	WEEKS OF GESTATION									
TERMINATION PROCEDURE*	IN IDAHO	<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated		
TOTAL RESIDENTS OF IDAHO	5,364	3,088	1,224	534	252	191	50	7	18		
Suction curettage Medical (nonsurgical) Dilation and evacuation (D&E) Intra-uterine instillation (saline /	4,464 590 240	2,510 560 8	1,206 10 5	522 1 7	181 3 61	28 6 120	4 6 32	1 3 3	12 1 4		
prostaglandin)	14	-	-	-	-	8	6	-	-		
Sharp curettage (D&C) Hysterotomy / Hysterectomy	27 -	5 -	2	3	4	12 -	-	-	1 -		
Other	8	1	-	-	-	5	2	-	-		
Not stated	21	4	1	1	3	12	-	-	-		

^{*} Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Length of Gestation
Three-Year Total, 2004-2006



Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100% due to rounding.

APPENDIX
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah	Clearwater	Adams	Ada	Blaine	Bannock	Bonneville
Bonner	Idaho	Canyon	Boise	Camas	Bear Lake	Clark
Boundary	Latah	Gem	Elmore	Cassia	Bingham	Custer
Kootenai	Lewis	Owyhee	Valley	Gooding	Butte	Fremont
Shoshone	Nez Perce	Payette		Jerome	Caribou	Jefferson
		Washington		Lincoln	Franklin	Lemhi
				Minidoka	Oneida	Madison
				Twin Falls	Power	Teton